



AD 750

Motor : Doosan
Alternatör : Mecc Alte
Kontrol Sistemi : P 732



ISO8528

6i 'YbYfUf f [fi Vi 'GC ,) & , 'm bYfa Y'] UfhUfibi' _Uf i'UntUVW_ 'gYj]nYXY 'hUgUFUba i' hf"

SZUTEST

6i 'YbYfUf f [fi Vi 'GC - \$\$\$gYfhZ_U' nY' _Yf]bY [" fY 'hUgUFUba i' j Y' fY]a] hf"



6i 'YbYfUf f [fi Vi '79'gYfhZ_U' UfhUfibiU'i m] i bXi f

2000/14/EC

GYGmU'ihä '_UV]b'] [fi d'Ufz&\$\$\$#/(#97 '5j fi dU [' f' h' m bYfa Y'] bY [" fY 'hYghYX]]f"

u[] ; 'WZ' !: Uniz) \$<nz; : '\$Z

Voltaj	Standby Güç (ESP)		Prime Güç (PRP)		
	kVA	kw	kVA	kw	Amp
400/230	750,00	600,00	680,00	544,00	982,00

Standby Güç (ESP): ; 'jYb]f' YVY_Y' _UnbU' ibib'_Yg]a Yg]Xi fi a i bXUZXY] _YbYY_f]m'_Y [, 'fYa]b_Yfa YXY'_i 'Ubrif''9GDz-GC ,) & , 'Yi m a i Xi f''5 ifi m'_Ya YnY']n]b] Yf]a Ya] hf"

Prime Güç (PRP): 8Y] _YbYY_f]m'_Yz [, 'fYa]b_Yfa YXYZm'_gibifgin' , U'i a U' gUUh]]b'_i 'Ubrif''DF DZ-GC ,) & , 'Yi m a i Xi f''GC' \$(* mU [' fY' %&gUUh, U'i a U'dYf]ncXi bXU%gUUh\$& ' U' ifi m'_Ya Y]]b'_i 'Ubrif''

GH5B85F H'x N9@@? @9F

Gi'gc i'ha U'iX]nY'a ctef
FUXntUf f]Y a Y_Ub'_ZUb
8' bYb j Y'giVW'_dUF, UUFU'Xc'_i ba Um'i' b'YnYb'_cfi m' W'_UZ'g
9'Y_f]]a Uf 'a ctefi j Y' Uf'U'fYfbUf f'
5'_f] f i b'Ug]h]z'_UV'c'Uf] j Y'gV'dUg
A ctef V'c'_gi m' igihVgi
uY'_UgY j Y'f]fY]a " b'Yn]VYHU'_cn'Uf' UgYnY YbY [fY nU'_ihU'b_j
9gbY'_nU'_ihVU' 'Ubh'cf] a 'Ufi
HY'_nU'_iz j Y < nU'ihä 'gibiZi' U'fYfbUf f'
9bX' g]f]nY' _UdUg]fYXY'gi g]h fi W j Y'YgbY'_Y]'_ca dYbgUf f'
9'Y_fcb]_U'_Uf'V'U'ni
?i 'Uba U j Y a cblU'^_Uj i ni

>9B9F 5Hx F '8CB5B-A 'G9u9B9? @9F

MOTOR

! 'MU' ihgi 'UmifWZ]fY
! 'MU' igihVgi

ALTERNATÖR

! '-gihVZfi h' Vh' b'Yn]V
- Büyük güçte alternatör
- PMG ikaz sistemi + AVR
! 'u' i' U'fYf]

KONTROL PANOSU

- Otomatik senkronizasyon ve güç kontrol sistemi (çoklu paralel jeneratör)
! ' YVY_Y]Y [Y,] 'gYb_fcbi' g]h]Ya]
! ! nU'_fUb]Yf]]a j Y'_cblfc'
! ! nU' U'U'Ufa' dUby]
! '5 Ufa' ;]'_f' Y'Yf]
! ! nU'_fUb]Yf]]a za cXYa]Y
! 'HcdfU'_U, U' izfY'_YbYfUf f'
! ' Uf'Ua dYfa YfYg]

YARDIMCI DONATILAR

! 'Ctca Uf] j YnU'a Ubi Y' nU'_ihXci a' g]h]Ya]
! 'MU' 'Vc' U'ha UzY'dca dUg
! 'MU' 'Vc' U'ha UzY'Y_f]]'dca dU
! '8' ' _j Y m'_gY'_nU'_ihgYj]nYg] U'Ufa i
- Egzoz susturucusu, meskün mahal tip
! 'A i \UZInU'_UV]b]/gYg nU'ihä 'ih]d j YnU'U, i'_U'Ub' h]d
! < Uj U'_UbU'i UXUdht f' ffUXntUf f'' b' 'E
! 'A ctefi d'Ub' f' fU'Uj U []f] j Y ;]'_X'Yj fYg]k
! 'GYg nU'ihä 'i'_UbU' f'U'Uj U []f] j Y ;]'_X'Yj fYg]k
- Römoorklar
! '5'YhU'_ia i' fVU'_ia]]b'k
! '5bU'MU'_ihU'b'_i
! ' YVY_Y #>YbYfUf f' fU'bgZf' dUbcg]

TRANSFER PANOSU

- Üç kutuplu kontaktör
- Dört kutuplu kontaktör
! 'y, j YnU'X' f]_j hi d'i a ctefi ;]'_U'fYf]

AD 750

Motor : Doosan
Alternatör : Mecc Alte
Kontrol Sistemi : P 732

8 N9@A C H C F 'x N9@@? @9F

Üretici		Doosan		
Model		DP222LB		
G]j]bX]f]j Y' HUGUfia		12 Silindirli, V - Tip		
Hava Emme		Hi fVc` UF'Yj Y'5fU'Gc i h W'i		
Maksimum Standby Güç		1500 d/dk		
		664,00 kw [890,00HP]		
Toplam Silindir Hacmi	L	21,927		
Çap ve Strok	mm	128 x 142		
G]i` hifa U'C fUbi		15,0:1		
Norminal Devir	d/dk	1500		
Governör Tipi		Elektronik		
MU`? UdUg]Yg]	L	40,00		
Su Kapasitesi	L	134,80		
Emilen Hava Debisi	m³ /dk.	42,20		
Radyatör Hava Debisi	m³ /dk.	860,00		
Egzoz Gaz Debisi	m³ /dk.	101,00		
9[ncn; Un'GiWU_ı i	° C	481,00		
Elektrik Sistemi		24 V d.c.		
MU_ihH`_Yfja]	Yük	%100	%75	%50
	L/sa	147,10	109,20	73,00

5@H9F B5Hx F 'x N9@@? @9F

Üretici		Mecc Alte		
Modeli		ECO 40-2L/4		
Frekans	Hz	50		
Güç	kVA	680,00		
HUGUfia		: if, Uginž(`i h d'i		
Cos fi		0,80		
: Un'GUnigi		3		
Voltaj	V	400/230		
5_ia	A	982,00		
MU'ihia 'Gibiž		H		
Stator		&#* 'UXia		
Rotor		HY_ 'MUH_ı'9gbY_8]g_]		
_Un'G]ghYa]		Elektronik (AVR)		


6CM Hj Y'5 ₺ @?

5, İ; fi d	? i fi '5 ifi_	Boy	En	Yükseklik	MU_ih8Ydc ? UdUg]Yg]
	kg.	mm.	mm.	mm.	L
AD 750	4190,00	3494,00	1550,00	2301,00	1000,00
Kabinli Grup	? i fi '5 ifi_	Boy	En	Yükseklik	MU_ih8Ydc ? UdUg]Yg]
	kg.	mm.	mm.	mm.	L
MS 85	5400	5297	1606	2656	1000

AD 750

Motor : Doosan
Alternatör : Mecc Alte
Kontrol Sistemi : P 732

1 P 732 - Kontrol Sistemi



- 1 A Yb~ 'bUj][Ugncb 'Vi hcb'Ufi
- 2 YVY_Y'j Y'fUbgZf'Vi hcbi
- 3 @78 'jY'j 'Yha Y'Xi fi a 'Ufi'j Y'' , a Y'[" gYf[Y'Yf]
- 4 5finU'U'Ufa '@98fYf]
- 5 Jeneratör ve transfer butonu
- 6 Durum Led'leri
- 7 uU'i a U' 'Y_]gY, a Y Vi hcb'Ufi

2 Cihazlar

8G9ž'a cXY''+ ' &\$'C hca UH_ ' YVY_Y'5finU'jnYa Y'j Y'YbYFUH' f'_cbhfc''a cX''
9'Y'_fcb'_U_' ' Uf'V\Un'i
5VY'Xi fXi fa U'Vi hcbi 'j Y'_cbhfc''XY'j fY'Yf] ,]b'g][cftU'Uf

3 Müdi'j Y'6cniU

7]\Un'Uf , Y'_gUWXUb]a U'YX]a] 'dUbc'_UV]b]bY'a cbHU'^ntüdi'if''Dübc'gUWZc'gZU'h_]a ntUgU'i']Y'_Ud'UbUfU'_gUW
m'nYm'_cfcncbU'X]fYb ,]\U'Y' [Y'h]f]f''Dc'mYgYfV]Y]_hcn'VcnU'j Y'Zf'ib'Ua U']'Ya]]Y'dUbc'_UV]b]bY'gcb'XYfYVW
XUnubi'_i'VcnU'^ntüdi'if''?]]h]j Y'a YbY' Y']dUbc'_UdU 'i']Y'V\Un'UfU'i 'U a U'_c'UmXif''

4 Montaj

? cbhfc''dUbc'g'ž'YbYFUH' f' [fi Vi ' U'g]g]''nYf]bXY_]gU 'Ua ; Y'_UnU'_Uf]j YntU' [, ;]_i 'Y'Yfa]bU'a cX''''''nYf]bY
a cbHU'^ntüdi'if''
Dübcž'YbYFUH' f' [fi Vi bi b'ntübu'fUfUZbUZ [" n\]nUgi'gYj]nYg]bY'nYfY 'h]f]f''

5 Jeneratör Kontrol Ünitesi

8G9'+ ' &\$
&&\$'_j 5 j Y''nYf] 'YbYFUH' f' [fi d'Ufia 'nXU'8G9+' &\$'_cbhfc''g]gY'a]ghUbXUf'Xif''9'Y'_fcb'_j Y'Y'_fcb'_c'a Untub
[Un] Y'X]nY'a ctef' 'YbYFUH' f' [fi d'Uf'ib'ib'c'ha UH_'c'UfU_', U'i h'ifa Ugi'j Y'Xi fXi fi 'a Ugi' ,]b'fUgUf'Uba 'i' hif''
5nfiW'a cX'''' YVY_Y'j c'fU'fbi'j Y'ZfY'_Ubgibi'jn'Yf]j Y'nYXY'_YbYFUH' f' [fi Vi]Y'cbU'VU 'i' [, 'fUbgZf'g]gY'a]b]
_cbhfc''YXYf''

Standart Özellikler

A]_fc'] 'Ya W]Y'_cbhfc''ntüdi'a 'i' Xif
% &I '* ('d]_gY'ž@78 [" gYf[Y']Y'V' []Yf'_c'Um'i'_U'c'_i' bi f
A cX'''' b'dUbY'j]bXY'j YntU'D7 j Y'ntüdi'ia 'i'j Ugi'fUgimU'dfc[fUa 'Ua U
M a i U_'h' 'i' 'a Ya VfU'b'_Uj mY'j Y'VY 'h' 'i' 'a Yb~ 'bUj][Ugncb
9h.YfbYhj Y'F G&' &ž'F G(,) j Ugi'fUgimU'i nU'_hUb']Yh] 'ja j Y'GA G]Y'fUdcf'U'a U
HUf] j Y'gUUh]Y'_UmihXYZf]bXY'UfinU'c'Um'i'f] \$E[" gY'fa Y
uc'_i' 'fUf] \] Y'gUUh]Y'a ctef'Y[nYfg]n'Xi fi a i] Y'VU_'ia 'dfc[fUa i
? cbhfc''h' 'Ufi. 'Ghcdž'A Ubi Y'ž'c'ha UH_ž'HYghž'GHUfž'GYgg]n'#@Ua VU'fYghž
>YbYFUH' fY'fUbgZf'ž' YVY_Y'mY'fUbgZf'ž'A Yb~ 'bUj][Ugncb
A ctef'V'c'_gi m'i'gihW'_cbhfc''

AD 750

Motor : Doosan
Alternatör : Mecc Alte
Kontrol Sistemi : P 732

Ölçme Göstergeleri

A C H C F
A c h c f X Y j] f]
M J \ V U g i b W
G i ' g i W _ i i
u U i ' a U g U U j
5 _ j c ' U i ^
A c h c f V U _ j a ' n U a U b i [Y ' a]
> 9 B 9 F 5 H x F
J c ' U > f @ / @ z @ B t
5 _ j a f @ / @ & ! @ t
: f Y _ U b g
H c d f U _ _ U , U i
_ K
7 c g]
_ J 5 f
_ K \ z _ J 5 \ z _ J 5 f
: U n g i f U g i
9 6 9 ? 9
J c ' U > f @ / @ z @ B t
: f Y _ U b g

Koruma Devreleri

? 5 N
U f ^ U f i n U g i
8 ^ _ _ U _ j c ' U i ^
G h c d ' U f i n U g i
8 ^ _ _ n U _ i h g Y j] n Y g] f t c d g t
_ K _ U i f i m _
H Y f g Z J n g i f U g i
< i n g] b m U] _ U n i d
x B ! 5 @ 5 F A @ 5 F
8 ^ _ _ n U \ V U g i b W
M _ g Y _ a c h c f g i W _ i i
8 ^ _ _ a c h c f g i W _ i i
8 ^ _ _ # M _ g Y _ a c h c f \ i n i
8 ^ _ _ # M _ g Y _ Y b Y f U h f Z Y _ U b g i
8 ^ _ _ # M _ g Y _ Y b Y f U h f j c ' U i ^
9 7 I _] U n
8 I F 8 I F A 5 ' 5 @ 5 F A @ 5 F =
G h f h U f i n U g i
5 W g h c d
8 ^ _ _ n U \ V U g i b W
M _ g Y _ a c h c f g i W _ i i
8 ^ _ _ g i ' g Y j] n Y g]
8 ^ _ _ # M _ g Y _ a c h c f \ i n i
8 ^ _ _ # M _ g Y _ Y b Y f U h f Z Y _ U b g i
8 ^ _ _ # M _ g Y _ Y b Y f U h f j c ' U i ^
M U \ V U g i b , U [i ' U n i W U , i _ X Y j f Y
: U n m b
9 @ 9 ? H F ? G 9 @ 5 u A 5
H c d f U _ _ U , U i
_ K _ U i f i m _
> Y b Y f U h f U i f i U _ j a
H Y f g Z J n g i f U g i

Opsiyon Özellikleri

M _ g Y _ n U ' g i W _ i i ! X i f X i f a U
8 ^ _ _ n U _ i h g Y j] n Y g] ! X i f X i f a U
8 ^ _ _ n U _ i h g Y j] n Y g] ! U U f a
M _ g Y _ n U _ i h g Y j] n Y g] ! U U f a
; 9 B @ 9 A 9 ' A C 8 y @ 9 F
' U j Y @ 9 8 ' a c X ' ' f &) (, t
; Y b] ' a f ' ' Y ' a c X ' ' f & %) + t
; Y b] ' Y a [] f] ' a c X ' ' f & % \$ t

Standartlar

9 Y Y _ h f] g Y ' ; _ j Y b] _ # 9 A 7 i n i b i _
6 G 9 B * \$ -) \$ 9 Y _ h f] _]] V U n U f i
6 G 9 B * % \$ \$! * ! & 9 A 7 ' a i U Z n Y h
6 G 9 B * % \$ \$! * ! (' 9 A 7 ' Y a] g n c b g h U b X U f i


9 Y _ h f c b] _ 5 _ ' U f ^ 7] U n i

5 _ ' U f ^ V U n i g k] h W] b [! a c X Y j Y ' G A 8 H Y _ b c ' c] g]] Y ' ' f Y] a] X] f j Y ' m _ g Y _ j Y f] a Y ' g U \ d h f "
5 _ ' Z J ! = _ U f U _ h Y f] g h _ Y f] g] b Y [' f Y ' U f ^ Y X]] f "
7] U n ; i _ i _ i g U X Y j f Y n Y _ U f i _ c f i b a i h f "
& (\$) ' U f ^ V U n i z '] b Y Y f ' U f ^ V U n U f i b U [' f Y X U \ U j Y f] a ' z i n i b " a ' f ' z U f i n U c f U b i ' X U \ U X ' _ _ z \ U Z j Y ' i g i n U m a U g i ' , c _
X ' _ _ h f
H Y f g _ j h d ' V U ' U b h g i b U _ U f i _ c f i b a i h f
' U f ^ U f i n U g i , i _ i ' a Y j W h i f "
;] f] j c ' U i ^ : % , ! & * (J "
u i _ ' U _ j a i . & + z ' j Y n U % z J) 5 "

AD 750

Motor : Doosan
Alternatör : Mecc Alte
Kontrol Sistemi : P 732

MS 85 - Kabin



- 1 uY_l'gUVXUb'müdi
- 2 Acil durdurma butonu
- 3 ? cblfc''dUbcgi 'gU 'hUFUZU' UgYm'ya cbhU'y
- 4 ? cfcncbU'XUtbü't'']hj Y'a YbY Y'Yf
- 5 MU 'Vc U'fa U'a ctef''nYf]bXY j UbU']Y
- 6 Egzoz sistemi kabin içinde, gizli
- 7 <Yf']nÜb hUFUZU'VU_ia t'_c'UmU h'fUb'_']hYbYV']f[Yb] '_Udi'Uf
- 8 x b'j Y'Uf_UXU'VU_ia t'_c'UmU h'fUb'_']hYbYV']f[Yb] '_Udi'Uf
- 9 8Ydc! UgY
- 10 ? U'Xifa U'j Y'hU ia U'bc_hUgiz' UgY'j YntU'_UV]b''nYf]bXY
- 11 F UXntU'h f'gi 'Xci'a i j Y'ntU 'Xci'a i j,]b'_Udu
- 12 GYg'nü'ihia 'a U'nYa Y'Yf]
- 13 D'Ugh'_\Uj U'Ya] 'Wd'Yf]

y f' b' < U_übXU

GYg'nü'ihia 'ij Y' ? cfi ni W ? UV]b'Yf'5_gU'YbYfU'h f[fi d'Ufi'],]b_U_i gh'_a '\YbX]g'Yf]hUFUZbXUbzncf\Uj U'j Y', Yj fY U'hUfibiU'i m'i b[Y'] h'f]Yb'gYg'nü'ihia 'iz_cfi a U'_UV]b'Yf]/XYU'gYg'gYj]nYg]j Y'_cfi a U'gU 'UhtUW'_ Y_]XY hUgU'Ubif'U'f'5_gU'_UV]b'Yf]z'dUf, U'dUf, U'g''_ 'YV]]f'za cX' Yf'müdiXUZ[fi VU'_c'UmigYf]]g'j Y'VU_ia 'ntüDUV]a Y'j Y', U'i h' i n'YfXY'dUf, U'XY ']a]b'Y'c'UbU'_gU 'U'f'5nbi'nUa UbXU'YbYfU'h f[fi Vi bi b', Yj fY'giWU'_i 'ibU[' fY'gc i' h'a U'dYfZ'fa Ubgij Y [' ;]_t' XY Yf]bXY'\Yf'Ub[]gYj]nY'X' ' ' ' ' ' a YnXUbU[Y'hfa YnYV'_müdiXU'c'a UgibU'X]_U'hYX]YfY'_UV]b'Yf'X]nUmb YX]a] X]f' ? UV]b'Yf]b', Yj fY'giWU'_i 'ij Y'gYg'gYj]nYg]i m'i b' i i],]b'dfc'h'd' h'ghYf]müdi'Xi'_hUb'gcbfU'' fY]a]ntü'di'a i h'f

Standart Özellikler

8'' '_dfcZ']j Y'_Ud'Ua U'U'Übi'Unz'f]ca dU'_h'UgUfia
? UV]bz'YbYfU'h f'gYh'z'Y[ncn'g]ghYa]j Y'ntU_ihXYd'c'gi ž Ug]h'Y'_dU'Yhc'UFU'_gYj '_YX]YVW'_ Y_]XYZ'V]fV]f]b]V' h' b'YnYVW'_ j Y'_c'Uma cbhU'^]b[Y'] h'f]a] h'f'
?]a ntüGU' hYa]n'Ya Y'] Ya]bXYb[Y,]f]Ybž'_UV]b', Y'_l'gUWdUf, U'Ufiž'dc'nYghYf' hcn'VcmUmU'_Ud'Ubif'j Y'Z'f'ib'Übif
5'Yj '' b'Ym]V'ntü'ihia 'g'b[Yf]
GYf]]g'bc'_hU'Uf'ibU'_c'UmYf]]a
? UV]b], Yf]g]bXY Y[ncn'g]ghYa]j Y'igi'ntü'ihia i
_'hUFUZU' [Yb] '_Udi'Uf
?]h] '_Udi'' nYf]bXY' YZUZdYbW'fYXYb'_cb'f'c''dUbcgi bi]n'YmV]a Y
? UV]b]b'Xi 'ibU'a cbhU'y'UVY'ghcd Vi h'c'bi
Gc i' h'a U'Z'Übi'j Y' U'f'U'h'f'Üb'U'h f' 'Xc'_i ba UhtU'_Uf' i'_cfi ba i h' f
?]h'YbYb'_Udi']Y'ntU_ihXc'i a i j Y'U'_ n'Y Yf]]a
Ug]j Y'_UV]b'' nYf]bXY'_U'Xifa U'bc'_hU'Ufi
GYg'nü'ihia '_UV]b'] [fi d'Uf'ib'gYg'hYgh] &\$\$\$#% (#97 n'Y i m'i b'c'UFU'_Gni h'gh'U'fUZbXUb'XYbYhYba Y'_hX]f'

En	mm.	1606
Boy	mm.	5297
Yükseklik	mm.	2656
MU_ihHUb_? UdUg]hYg]	L	1000